



ELEVATE SCAFFOLD

Beyond your Heights

We offer scaffold on sales & rental

ELEVATE SCAFFOLD

Elevate aluminum scaffold is the most appropriate and specific solution for short-term operations such as involving HVAC, Electrical, Plumbing, fire fighting, Interiors, maintenance, renovations works etc. Assemble & disassemble of elevate scaffold is quick, simple and safe. It helps to reduce the overall execution time of your work.

All the components of the elevate scaffold are made with high grade aluminum to ensure Safety, Reliability & Durability.


ELEVATE SCAFFOLD STRENGTHS

- ◆ Very easy to handle
- ◆ Light weight aluminum, yet it has same performance as a steel scaffold
- ◆ Less components for quick assemble & disassemble
- ◆ Non corrosive & easy to clean
- ◆ Transportable in small capacity trucks
- ◆ Handrails are custom made to prevent from hitting the overhead services

Elevate scaffold is suitable for height upto 24 meters & we also manufacture as per customer need. Our Scaffold designed to work with components manufactured by our company only. Combining such parts with other brands is unsafe and dangerous to users.


ALUMINUM MOBILE SCAFFOLDS

- ◆ Conforms to have EN 1004.
- ◆ For Internal & External use application
- ◆ Free working Heights from 2 mtr. to 22 mtr.
- ◆ Tools free Erection / Dismantling
- ◆ Easy to Install on uneven steps
- ◆ Easy to mobilize scaffold without dismantling
- ◆ Extra base jack support for heavy wind impact (15 mtr. and above)
- ◆ Each level will be having one resting platform
- ◆ Stairs shall be given with appropriate support handrails
- ◆ Spigot do have male-female bonds to distribute points load evenly.
- ◆ Stabilizer support comes with the ration 3:1 (Tower Height : Scaffold Base) for external application and 4:1. (Tower Height : Scaffold base) for internal application
- ◆ Safe working load on work platform would be 200 kg/m.
- ◆ Easy to Store after use of scaffold
- ◆ Heavy duty caster wheels with locking arrangements, having 200 mm height extension scope
- ◆ Platform foot prints 1350 mm X 1800 mm
- ◆ Toe Boards are given on work platform to prevent any tools fall from height.
- ◆ Reduce Labour cost, Time and increase work efficiency.



Why Elevate Scaffold ?

- ◆ Our products are tested by Experts
- ◆ Elevate Scaffold is user friendly
- ◆ Our scaffold meet standard requirements
- ◆ We deliver within two hours once terms & conditions are agreed
- ◆ We are available at your service 24/7 for all types of queries & services



N.W - 1

N.W - 2

N.W - 3

N.W - 4

N.W - 4

WH	3
TH	2
PH	1
Platform Size	1800 x 750
SWL	260 Kgs Approx

WH	4
TH	3
PH	2
Platform Size	1800 x 750
SWL	260 Kgs Approx

WH	4
TH	3
PH	2
Platform Size	1800 x 750
SWL	260 Kgs Approx

WH	6
TH	5
PH	4
Platform Size	1800 x 750
SWL	260 Kgs Approx

WH	8
TH	7
PH	6
Platform Size	1800 x 750
SWL	260 Kgs Approx


ELEVATE SCAFFOLD




D.W - 1	
WH	4
TH	3
PH	2
Platform Size	1800 x 1350
SWL	250 Kgs Approx




D.W - 2	
WH	6
TH	5
PH	4
Platform Size	1800 x 1350
SWL	250 Kgs Approx



D.W - 3	
WH	8
TH	7
PH	6
Platform Size	1800 x 1350
SWL	250 Kgs Approx



D.W - 4	
WH	10
TH	9
PH	8
Platform Size	1800 x 1350
SWL	250 Kgs Approx



D.W - 5	
WH	12
TH	11
PH	10
Platform Size	1800 x 1350
SWL	250 Kgs Approx

ELEVATE SCAFFOLD

Beyond your Heights

Kondapur, Hyderabad, Telangana - 500084

Mobile : +91 9014792770 | Email : elevatescaffold@gmail.com | www.elevatescaffold.com